

### AMENDMENTS TO THE CLAIMS

This Listing of Claims will replace all prior versions, and listings, of claims in this application.

#### Listing of Claims

1-30. (Cancelled).

31. (Previously presented) A method for treating human cancers or tumors comprising the step of administering to a patient in need of such treatment a therapeutically effective amount of a composition comprising:

- 1) a recombinant polypeptide produced by a non-human host transformed by a recombinant DNA molecule comprising a DNA sequence selected from the group consisting of:
  - (a) DNA sequences which are capable of hybridizing to any of the DNA inserts of G-pBR322(Pst)/HFIF1, G-pBR322(Pst)/HFIF3 (DSM 1791), G-pBR322(Pst)/HFIF6 (DSM 1792), and G-pBR322(Pst)/HFIF7 (DSM 1793) under hybridizing conditions of 0.75 M NaCl at 68°C and washing conditions of 0.3 M NaCl at 68°C, and which code for a polypeptide displaying antiviral activity, and
  - (b) DNA sequences which are degenerate as a result of the genetic code to the DNA sequences defined in (a);

said DNA sequence being operatively linked to an expression control sequence in the recombinant DNA molecule; and

- 2) a pharmaceutically acceptable carrier.

32. (Cancelled).

33. (Previously Presented) The method according to claim 31, wherein said DNA sequence is selected from DNA sequences of the formulae:

ATGACCAACAAGTGTCTCCTCCAAATTGCTCTCCTGTTGTGCTTCTCCACTACAGCT  
CTTCCATGAGCTACAAC TTGCTTGGATTCTACAAAGAAGCAGCAATTTTCAGTGT

CAGAAGCTCCTGTGGCAATTGAATGGGAGGCTTGAATACTGCCTCAAGGACAGGAT  
GAACTTTGACATCCCTGAGGAGATTAAGCAGCTGCAGCAGTTCCAGAAGGAGGACG  
CCGCATTGACCATCTATGAGATGCTCCAGAACATCTTTGCTATTTTCAGACAAGATT  
CATCTAGCACTGGCTGGAATGAGACTATTGTTGAGAACCTCCTGGCTAATGTCTATC  
ATCAGATAAACCATCTGAAGACAGTCCTGGAAGAAAAAACTGGAGAAAGAAGATTTC  
ACCAGGGGAAAACTCATGAGCAGTCTGCACCTGAAAAGATATTATGGGAGGATTCT  
GCATTACCTGAAGGCCAAGGAGTACAGTCACTGTGCCTGGACCATAGTCAGAGTGG  
AAATCCTAAGGAACITTTACTTCATTAACAGACTTACAGGTTACCTCCGAAAC, and  
ATGAGCTACAACCTTGCTTGGATTCTTACAAAGAAGCAGCAATTTTCAGTGTGAGAAG  
CTCCTGTGGCAATTGAATGGGAGGCTTGAATACTGCCTCAAGGACAGGATGAACTTT  
GACATCCCTGAGGAGATTAAGCAGCTGCAGCAGTTCCAGAAGGAGGACGCCGCATT  
GACCATCTATGAGATGCTCCAGAACATCTTTGCTATTTTCAGACAAGATTTCATCTAG  
CACTGGCTGGAATGAGACTATTGTTGAGAACCTTCCTGGCTAATGTCTATCATCAGAT  
AAACCATCTGAAGACAGTCCTGGAAGAAAAAACTGGAGAAAGAAGATTTCACCAGGG  
GAAAACTCATGAGCAGTCTGCACCTGAAAAGATATTATGGGAGGATTCTGCATTACC  
TGAAGGCCAAGGAGTACAGTCACTGTGCCTGGACCATAGTCAGAGTGGAAATCCTA  
AGGAACTTTTACTTCATTAACAGACTTACAGGTTACCTCCGAAAC.

34. (Previously Presented) The method according to claim 31 wherein the polypeptide is selected from polypeptides of the formulae:  
Met-Thr-Asn-Lys-Cys-Leu-Leu-Gln-Ile-Ala-Leu-Leu-Leu-Cys-Phe-Ser-Thr-Thr-Ala-Leu-Ser-  
Met-Ser-Tyr-Asn-Leu-Leu-Gly-Phe-Leu-Gln-Arg-Ser-Ser-Asn-Phe-Gln-Cys-Gln-Lys-Leu-Leu-  
Trp-Gln-Leu-Asn-Gly-Arg-Leu-Glu-Tyr-Cys-Leu-Lys-Asp-Arg-Met-Asn-Phe-Asp-Ile-Pro-Glu-  
Glu-Ile-Lys-Gln-Leu-Gln-Gln-Phe-Gln-Lys-Glu-Asp-Ala-Ala-Leu-Thr-Ile-Tyr-Glu-Met-Leu-  
Gln-Asn-Ile-Phe-Ala-Ile-Phe-Arg-Gln-Asp-Ser-Ser-Ser-Thr-Gly-Trp-Asn-Glu-Thr-Ile-Val-Glu-  
Asn-Leu-Leu-Ala-Asn-Val-Tyr-His-Gln-Ile-Asn-His-Leu-Lys-Thr-Val-Leu-Glu-Glu-Lys-Leu-  
Glu-Lys-Glu-Asp-Phe-Thr-Arg-Gly-Lys-Leu-Met-Ser-Ser-Leu-His-Leu-Lys-Arg-Tyr-Tyr-Gly-  
Arg-Ile-Leu-His-Tyr-Leu-Lys-Ala-Lys-Glu-Tyr-Ser-His-Cys-Ala-Trp-Thr-Ile-Val-Arg-Val-Glu-  
Ile-Leu-Arg-Asn-Phe-Tyr-Phe-Ile-Asn-Arg-Leu-Thr-Gly-Tyr-Leu-Arg-Asn, and Met-Ser-Tyr-  
Asn-Leu-Leu-Gly-Phe-Leu-Gln-Arg-Ser-Ser-Asn-Phe-Gln-Cys-Gln-Lys-Leu-Leu-Trp-Gln-Leu-  
Asn-Gly-Arg-Leu-Glu-Tyr-Cys-Leu-Lys-Asp-Arg-Met-Asn-Phe-Asp-Ile-Pro-Glu-Glu-Ile-Lys-

Gln-Leu-Gln-Gln-Phe-Gln-Lys-Glu-Asp-Ala-Ala-Leu-Thr-Ile-Tyr-Glu-Met-Leu-Gln-Asn-Ile-  
Phe-Ala-Ile-Phe-Arg-Gln-Asp-Ser-Ser-Ser-Thr-Gly-Trp-Asn-Glu-Thr-Ile-Val-Glu-Asn-Leu-  
Leu-Ala-Asn-Val-Tyr-His-Gln-Ile-Asn-His-Leu-Lys-Thr-Val-Leu-Glu-Glu-Lys-Leu-Glu-Lys-  
Glu-Asp-Phe-Thr-Arg-Gly-Lys-Leu-Met-Ser-Ser-Leu-His-Leu-Lys-Arg-Tyr-Tyr-Gly-Arg-Ile-  
Leu-His-Tyr-Leu-Lys-Ala-Lys-Glu-Tyr-Ser-His-Cys-Ala-Trp-Thr-Ile-Val-Arg-Val-Glu-Ile-Leu-  
Arg-Asn-Phe-Tyr-Phe-Ile-Asn-Arg-Leu-Thr-Gly-Tyr-Leu-Arg-Asn.